





# DELTA-U sand trap type1



Load class:	F900 cf EN1433
Absorption surface cm <sup>2</sup> /m:	N/A
Slot type:	N/A
Edges:	N/A
Section cm <sup>2</sup> :	N/A
Concrete type:	C60/75
Environmental class:	XD3-XF4-XC4-XA3
Durability:	W+R
Length:	960
Slope:	N/A
Gradient surface:	N/A
Connection type:	N/A
Lifting:	4 x DH 1,3T
Installation guidelines:	specifications manufacturer
Standard:	N/A
Weight kg:	433













**Technical datasheet**

Art. n°:	DELTA-UZVE-Type 1		
Rev.n°:	0	REV.Date:	05/04/2023






# DELTA-U sand trap type1



<b>DELTA U</b>	
 DE BONTE GROUP PUSHING CONCRETE FURTHER	
<b>Technical datasheet</b>	
Art. n°:	DELTA-UZVE-Type 1
Rev.n°:	0
REV.Date:	05/04/2023
 	

# DELTA-U sand trap type1



<h1>DELTA U</h1>	
 DE BONTÉ GROUP PUSHING CONCRETE FURTHER	
<b>Technical datasheet</b>	
Art. n°:	DELTA-UZVE-Type 1
Rev.n°:	0
REV.Date:	05/04/2023
